

SEP-23-2003 TUE 04:19 PM KLAUBER&JACKSON  
SEP-18-2003 FRI 03:54 PM 2123278370

FAX NO. 2013431684  
FAX NO. 2123278370

P. 15  
P. 02

#  
20

600-1-081CON

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

APPLICANT: Steinman et al.

EXAMINER: Schwadron, Ronald B.

SERIAL NO.: 09/586,704

ART UNIT: 1644

FILED: June 5, 2000

FOR: IDENTIFICATION OF DEC, A RECEPTOR WITH C-TYPE LECTIN  
DOMAINS, NUCLEIC ACIDS ENCODING DEC, AND USES  
THEREOF

DECLARATION UNDER 37 C.F.R. 1.132

COMMISSIONER FOR PATENTS  
P.O. BOX 1450  
ALEXANDRIA, VIRGINIA 22313-1450

SIR:

1. MICHAEL NUSSLENZWEIG, hereby declare and state that:

1. I am a Howard Hughes Investigator, Sherman Fairchild Professor and Senior Physician at Rockefeller University having received my Ph.D. degree from the Rockefeller University in 1981 and my M.D. degree from New York University in 1982. I received postdoctoral medical and scientific training at Harvard University. My full curriculum vitae is attached hereto as Exhibit A.

2. My principal area of research is in Immunology and among other positions I serve as reviewer in numerous funding agencies of many countries, including the National Institute of Health, March of Dimes, Dana Foundation. I also have served as reviewer for numerous scientific journals, and I am the Editor of the Journal of Experimental Medicine and the Journal of Immunologic Methods.

3. In the course of my activities, I have been listed as inventor on several patent applications, including the one noted above entitled IDENTIFICATION OF DEC, A RECEPTOR WITH C-TYPE LECTIN DOMAINS, NUCLEIC ACIDS ENCODING DEC, AND USES THEREOF, having U.S. Serial Number 09/586,704, which is a

continuation of U.S. application Serial Number 08/381,528, filed on January 31, 1995, now abandoned.

4. I have reviewed the disclosure of the present application, with particular emphasis on the subject matter of the present application and in particular, how the pending claims differ from the art cited by the Examiner.

5. The present application claims a vaccine for inducing an immune response comprising an antigen from a pathogen conjugated to a Dendritic and Epithelial Cell-205 (DEC-205) ligand, wherein the DEC-205 ligand is an anti-human DEC-205 antibody or an anti-murine DEC-205 antibody reactive with a human DEC-205 protein and an immuno stimulator.

6. Based on the subject matter of the present application, it is my opinion that there was no teaching in the art that DEC-205 was an endocytic receptor which functioned to deliver an antigen to an antigen-processing compartment in a cell, prior to the time of our invention. Nemazee discloses cell surface receptors, but does not disclose DEC-205. Many surface receptors do not deliver antigens to processing compartments. For example, antigens bound to macrophage mannose receptor on dendritic cells, which is a close relative of DEC-205, are internalized but not processed and presented (Mahnke, K., Guo, M., Lee, S., Sepulveda, H., Swain, S.L., Nussenzweig, M.C. & Steinman, R.M.; (2000), 'The dendritic cell receptor for endocytosis, DEC-205, can recycle and enhance antigen presentation via MHC II+, lysosomal compartments, *J. of Cell Biology* 151:673-683). There are no known sequences that act as targeting sequences for antigen processing compartments, and furthermore, the sequence of DEC-205 was not known in any case. Thus, it would not be possible for one skilled in the art to know that DEC-205 would function as an endocytic receptor for antigen delivery to processing compartments, thus making this mechanism potentially useful in the area of vaccine development.

7. Furthermore, the disclosure in Nemazee is based on David Parker's original finding published in the *Journal of Experimental Medicine* (Tony HP., Parker DC, (1985), Major histocompatibility complex-restricted, polyclonal B cell responses resulting from helper T cell recognition of antiimmunoglobulin presented by small B lymphocytes, *Journal of*

***Experimental Medicine*, 161(1): 223-41), which demonstrates that antibodies to B cell surface immunoglobulin could be processed and presented *in vitro*. One skilled in the art would know that this technique has never been used to immunize or tolerize in man, probably because B cells simply function as initiators of immune responses *in vivo* although they can act as antigen presenting cells secondarily. Thus, one skilled in the art would not deduce that antigen targeting with antibodies would work *in vivo*.**


8. Thus, in addressing the Examiner's position that the Kraal antibody binds DEC, I can state and attest that the opposite is, in fact, true as relates to the inability of the Kraal antibody to bind human DEC-205. My laboratory has cloned and expressed human DEC-205 (Guo, M., Gong, S., Maric, S., Misulovic, Z., Pack, M., Mahnke, K., Nussenzweig, M.C. & Steinman, R.; (2000), A monoclonal antibody to the DEC-205 endocytosis receptor on human dendritic cells, *Human Immunology* 61:729-738) and we have tested our antibodies, as well as the NLDC-145 antibody, for reactivity to the human DEC-205 protein, and we have obtained quite different results. The Kraal NLDC-145 antibody does not react with human DEC-205. We noted this in our current patent application in lines 15-19 on page 3 of the specification, which states that human DEC-205 is characterized by not reacting with monoclonal antibody NLDC-145. Further support in our pending application can be found in lines 10-13, on page 45, where we state that an advantage of our present invention is that the antibodies described in the application can be used to target molecules to human dendritic cells. As we noted in the application, It is recognized that this is a significant advantage, since the prior art antibody of Kraal et al. failed to recognize human DEC. . Since the reactivity of our antibodies with human DEC-205 protein is part of our description and claims, I believe that this differentiates our antibodies over the antibody described by Kraal.

9. Furthermore, it was the work done in my laboratory that helped to identify human DEC-205 and its significance as an endocytic receptor. Further cloning and expression of the protein then pointed to the differences in the reactivity of the Kraal antibody compared to our own antibodies. Thus, it would not have been obvious to one skilled in the art to practice the use of our antibodies reactive to human DEC-205 protein for targeting antigens to human DEC-205 protein, or to use it for vaccines for eliciting an immune response, since neither the antibodies developed by my laboratory nor the

existence of human DEC-205 was known prior to our own work. Thus, the information in the field was insufficient to enable the skilled person to combine the teachings of Kruel with the teachings of Neimazee and to result in the use of our antibodies that react with human DEC-205 to produce the desired immunological response.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further, that those statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Title 18 of the U.S. Code, Section 1001, and that such willful false statements may jeopardize the validity of this application or any patent issuing thereon.

Dated: 9/19/03

  
Michel Nussenzweig, M.D., Ph.D.

Nussenzweig, Michel C.

**EXHIBIT A****CURRICULUM VITAE****Name:** Michel C. Nussenzweig**Date of Birth:** February 10, 1955**Education:**

1975 B.A. - New York University College of Arts and Sciences  
1981 Ph.D. - The Rockefeller University  
1982 M.D. - New York University School of Medicine

**Clinical Training:**

1982-1985 Intern & Resident, Internal Medicine  
Massachusetts General Hospital  
1984-1985 Clinical Fellow, Infectious Diseases  
Massachusetts General Hospital

**Postdoctoral Training:**

1986-1989 Harvard Medical School, Department of Genetics

**Professional Appointments**

1990-1996 Assistant & Associate Professor, The Rockefeller University  
1990-1999 Assistant & Associate Investigator, Howard Hughes Medical Institute  
1996-present Professor & Senior Physician, The Rockefeller University  
1999-present Investigator, Howard Hughes Medical Institute  
2000-present Sherman Fairchild Professor of Immunology, The Rockefeller Univ.

**Honors & Awards**

Summa Cum Laude, New York University College of Arts and Sciences - 1975; Phi Beta Kappa, New York University College of Arts and Sciences - 1975; Alpha Omega Alpha, New York University Medical School - 1982; Bertram M. Gresner Memorial Research Award, New York University School of Medicine - 1982; Elected Member American Society of Clinical Investigators - 1997, Solomon A. Berson Award for Basic Science - 2002

**Teaching:**

Immunology, Course Organizer

**Institutional:**

Chair, Transgenic Facility Coordinating Committee  
Chair, Animal Care and Use Committee

Nussenzweig, Michel C.

Chair, Hospital Seminar Committee  
Member, Immunology Search Committee  
Member, Institutional Review Board for Biohazards, Radioisotopes, Toxic Chemicals, and Carcinogens  
Member Hospital GCRC Scientific Advisory Committee  
Elected Senior Faculty Representative Academic Council  
Member, Virology Search Committee

**National**

Arthritis Foundation Molecular Immunology study section 1993-1996  
NIH Immunobiology Study Section Ad Hoc reviewer 1998, and 1999  
NIH ALY Study Section Ad Hoc Reviewer, 1999  
NIH NIAID Council Ad Hoc 1998  
Organizer Keystone Symposium on Dendritic Cells 1998  
Organizer Keystone Symposium on B Cells 1999  
March of Dimes Review Committee 1999-  
External Reviewer LMGD NICHD 2000  
Damon Runyon Cancer Research Fund Review Committee 2000-2002  
American Association of Immunologists Program Committee 2000-  
NIH ALY Study Section Member 2001-  
Organizer Keystone Symposium on B Cell Biology 2003

**Editorial:**

1996-Present	Editor, The Journal of Experimental Medicine
1999-Present	Editor, The Journal of Immunological Methods
2000-Present	Transmitting Editor, International Immunology
2002-Present	Advisory Editor, Nature Reviews Immunology

**Consultant:**

Abgenix, Fremont, CA  
Zycos, Lexington MA

**Professional Memberships:**

American Association of Immunologists  
American Medical Association  
The New York Academy of Sciences  
Kunkel Society  
Harvey Society

Nussenzweig, Michel C.

**Publications:**

1. Steinman, R.M., Witmer, M.D., Nussenzweig, M.C., Chen, L.L. & Cohn, Z.A. Dendritic Cells: an important new cell type in the mixed leukocyte reaction. In: Kaplan JG, ed. Proc. of the 13th International Leukocyte Culture conference. *Elsevier/North Holland Publ. Co.* 273. (1979)
2. Steinman, R.M., & Nussenzweig, M.C. Dendritic cells features and functions. *Immunol. Rev.* 53:127-147. (1980)
3. Nussenzweig, M.C. & Steinman, R.M. Contribution of dendritic cells to stimulation of the syngeneic mixed leukocyte reaction. *J. Exp. Med.* 151:1196-1212. (1980)
4. Nussenzweig, M.C., Steinman, R., Gutchinov, B., & Cohn, Z.A. Dendritic cells are accessory cell for the development of anti-trinitrophenyl cytotoxic T cells. *J. Exp. Med.* 152:1070-1084. (1980)
5. Steinman, R.M., Witmer, M.D., Nussenzweig, M.C., Chen, L.L., Schlesinger, S.J., & Cohn, Z.A. Dendritic Cells of the Mouse Identification and Characterization. *J. Invest. Dermatol.* 75:14-16. (1980)
6. Nussenzweig, M.C., Steinman, R.M., Unkeless, J.C., Witmer, M., Gutchinov, B., & Cohn, Z.A. Studies of the cell surface of mouse dendritic cells and other leukocytes. *J. Exp. Med.* 154:168-187. (1981)
7. Steinman, R.M., Witmer, M.D., Nussenzweig, M.C., Gutchinov, B., & Austyn, J.M. Studies with a monoclonal antibody to mouse dendritic cell. *Transplantation* 31:151. (1981)
8. Nussenzweig, M.C., & Steinman, R.M. Surface of dendritic cells. *Immunology Today* 3:65 (1982)
9. Nussenzweig, M.C., Steinman, R.M., Witmer, M.D., & Gutchinov, B. A monoclonal antibody specific for mouse dendritic cells. *Pro. Natl. Acad. Sci., USA* 79:161-165. (1982)
10. Steinman, R.M., Gutchinov, B., Witmer, M.D., & Nussenzweig, M.C. Dendritic cells are the principal stimulators of the primary mixed leukocyte reaction in mice. *J. Exp. Med.* 157:613-627. (1983)
11. Nussenzweig, M.C., Shaw, A.C., Sinn, E., Danner, D.B., Holmes, K.L., Morse, H.C., & Leder, P. Allelic exclusion in transgenic mice that express the membrane form of immunoglobulin. *Science* 236:816-819. (1987)

Nussenzweig, Michel C.

12. Nussenzweig, M.C., Shaw, A.C., Sinn, E., Torres, J., & Leder, P. Allelic exclusion in transgenic mice that carry human mutant human immunoglobulin genes. *J. Exp. Med.* 167:1969-1974 (1988)
13. Nussenzweig, M.C., Schmidt, E.V., Shaw, A.C., Sinn, E., Torres, J., Mathey-Prevot, B., Pattengale, P.K. & Leder, P. A human immunoglobulin gene reduces the incidence of lymphomas in c-Myc bearing transgenic mice. *Nature* 336:446-450. (1989)
14. Morton, C.C., Nussenzweig, M.C., Sousa, R., Sorenson, G.D., Pettengill, O.S. & Shows, T.B. Mapping and characterization of an X-linked processed gene related to mycll. *Genomics* 4:367-375. (1989)
15. Shimizu, A., Nussenzweig, M.C., Tataunobu-Ryushin, M., Leder, P., & Honjo, T. Immunoglobulin double isotype expression by trans-mRNA in a human immunoglobulin transgenic mouse. *Prod. Natl. Acad. Sci. USA.* 86:8020-8023. (1989)
16. Shimizu, A., Kinashi, T., Nussenzweig, M.C., Tataunobu-Ryushin, M., Leder, P., & Honjo, T. Molecular mechanism for immuno-globulin double-isotope expression. *Cold Spring Harbor Symposia on Quantitative Biology* Vol. LIV 175.
17. Friedlander, R., Nussenzweig, M.C., & Leder, P. Complete nucleotide sequence of the membrane form of the human IgM heavy chain. *Nucleic Acids Res.* Vol. 18(14):4278. (1990)
18. Shimizu, A., Nussenzweig, M.C., Han, H., Sanchez, M., & Honjo, T. Trans-splicing as a Possible Molecular Mechanisms for the Multiple Isotope Expression of the Immunoglobulin Gene. *J. Exp. Med.* 173:1385-1393. (1991)
19. Costa, T., Suh, H-Y., & Nussenzweig, M.C. Chromosomal Position of Rearranging Gene Segments Influences Allelic Exclusion in Transgenic Mice. *Proc. Natl. Acad. Sci. USA* 89:2205-2208. (1992)
20. Costa, T., Franke, R.R., Sanchez, M., Misulovin, Z., & Nussenzweig, M.C. Functional Reconstitution of an Immunoglobulin Antigen Receptor in T Cells. *J. Exp. Med.* 175:1669-1676. (1992)
21. Sanchez, M., Misulovin, Z., Burkhardt, A.L., Mahajan, S., Costa, T., Franke, R.R., Bolen, J.B. & Nussenzweig, M.C. Signal Transduction by Immunoglobulin Is Mediated Through Ig $\alpha$  and Ig $\beta$ . *J. Exp. Med.* 178:1049-1055. (1993)
22. Burkhardt, A.L., Costa, T., Misulovin, Z., Stealy, B., Bolen, J.B., & Nussenzweig, M.C. Ig $\alpha$  and Ig $\beta$  are Functionally Homologous to the Signaling Protein of the T cell Receptor. *Molecular & Cellular Biology* Vol. 14(2):1095-1103. (1994)



Nussenzweig, Michel C.

23. Kurosaki, T., Muta, T., Sanchez, M., Misulovin, Z., Nussenzweig, M.C., & Ravetch, J.V. A 13 amino acid motif in the cytoplasmic domain of FcγRIIB modulates B cell receptor signalling. *Nature* Vol. 368:70-73. (1994)
24. Spanopoulou, E., Roman, C.A.J., Corcoran, L., Schlissel, M.S., Silver, D.P., Storb, U., Nemazee, D., Nussenzweig, M.C., Shinton, S.A., Hardy, R.R., & Baltimore, D. Expression of functional immunoglobulin transgenes allows ordered B-cell differentiation to progress in Rag-1 deficient mice. *Genes & Development* Vol. 8:1030-1042. (1994)
25. Wayne, J., Suh, H., Misulovin, Z., Sokol, K.A., Inaba, K., & Nussenzweig, M.C. A Regulatory Role for Recombinase Activating Genes, RAG-1 and RAG-2, in T Cell Development. *Immunity* Vol. 1:95-107. (1994)
26. Qin, X.F., Luo, Y., Suh, H.-Y., Wayne, J., Misulovin, Z., Gerster, T., Roeder, R.G. & Nussenzweig, M.C. Transformation by homeobox genes can be mediated by selective transcriptional repression. *EMBO J.* Vol. 13:5967-5976. (1994)
27. Wayne, J., Suh, H.-Y., Sokol, K., Petrie, H.T., Witmer-Pack, M., Edelhoff, S., Disteché, C.M., & Nussenzweig, M.C. TRC Selection and Allelic Exclusion in RAG Transgenic Mice that Exhibit Abnormal T Cell Localization in Lymph Nodes and Lymphatics. *J. Immunol.* Vol. 153:5491-5502. (1994)
28. Mitchell, R.N., Barnes, K.A., Grupp, S.A., Sanchez, M., Misulovin, Z., Nussenzweig, M.C. & Abbas, A.K. Intracellular Targeting of Antigens by Membrane Immunoglobulin in B Lymphocytes. *J. Exp. Med.* 181:1705-1714. (1995)
29. Heufler, C., Humborg, C., Steinman, R.M., Schuler, G. and Nussenzweig, M.C. A molecular strategy to identify molecules that are specific for dendritic cells and/or critical to their unique immunostimulatory function. *Adv. Exp. Med Biol.* 378:367-369 (1995)
30. Papavasiliou, F., Misulovin, Z., Suh, H.-Y., Nussenzweig, M.C. The role of Igβ in Precursor B cell Transition and Allelic Exclusion. *Science* Vol. 268:408-411 (1995)
31. Jiang, W., Swiggard, W., Heufler, C., Peng, M., Steinman, R.M., & Nussenzweig, M.C. The receptor DEC-205 expressed by dendritic cells and thymic epithelial cells is involved in antigen processing. *Nature* 375:151-155. (1995)
32. Inaba, K., Swiggard, W.J., Inaba, M., Meltzer, J., Mirza, S., Sasagawa, T., Nussenzweig, M.C., & Steinman, R.M. Tissue distribution of the DEC-205 protein that is detected by the monoclonal antibody NLDC-145. I. Expression on dendritic cells and other subsets of mouse Leukocytes. *Cell. Immunol.* 163:148-156 (1995)
33. Swiggard, W.J., Asra, M., Nussenzweig, M.C., & Steinman, R.M. DEC-205, a 205 kDa Protein abundant on mouse dendritic cells and thymic epithelium that is detected by the

Nussenzweig, Michel C.

- monoclonal antibody NLDC-145: Purification, characterization and N-terminal amino acid sequence. *Cell. Immunol.* 165:302-311 (1995)
34. Papavasiliou, F., Jankovic, M., Suh, H.-Y., Nussenzweig, M.C. The Cytoplasmic Domains of Ig $\alpha$  and Ig $\beta$  can Independently Induce the Precursor B cell Transition and Allelic Exclusion. *J. Exp. Med.* 182(5):1389. (1995)
  35. Gong, S., & Nussenzweig, M.C. Regulation of an Early Developmental Checkpoint in the B cell Pathway by Ig $\beta$ . *Science* 272:411-414 (1996)
  36. Nussenzweig, A., Chen, C., da Costa Soares, V., Sanchez, M., Sokol, K., Nussenzweig, M.C., & Li, G.C. Requirement for Ku80 in Growth and V(D)J Recombination. *Nature* 382:551-555 (1996)
  37. Kim, U., Qin, X., Gong, S., Stevens, S., Luo, Y., Nussenzweig, M.C., & Roeder, R.G. The B cell specific transcription coactivator OCA-B is essential for normal production of immunoglobulin isotypes. *Nature* 383:542-547 (1996)
  38. Papavasiliou, F., Jankovic, M., & Nussenzweig, M.C. Surrogate or Conventional Light Chains Are Required for Membrane Immunoglobulin Mu to Activate the Precursor B Cell Transition. *J. Exp. Med.* 184:2025-2030 (1996)
  39. Gong, S., Sanchez, M. & Nussenzweig, M.C. Counterselection against Du Is Mediated through Immunoglobulin (Ig)a-Ig $\beta$ . *J. Exp. Med.* 184:2079-2084 (1996)
  40. Cortes, P., Weis-Garcia, F., Misulovin, Z., Nussenzweig, A., Lai, J.S., Li, G., Nussenzweig, M.C., & Baltimore, D. In vitro V(D)J recombination: signal joint formation. *Proc. Natl. Acad. Sci. USA* 93: 14003-13 (1996)
  41. Sawchuk, D.J. Weis-Garcia, F. Malik, S., Besmer, E. Bustin, M. Nussenzweig, M.C. & Cortes, P. V(D)J recombination: Modulation of RAG1 and RAG2 cleavage activity on 12/23 substrates by whole cell extract and DNA bending proteins. *J. Exp. Med.* 185:2025-2032 (1997)
  42. Weis-Garcia, F., Besmer, E. Yu, W., Sawchuk, D., Hu, Y., Nussenzweig, M.C. & Cortes, P. V(D)J recombination: In vitro coding joint formation. *MCB* 17:6379-6385(1997)
  43. Papavasiliou, F., Jankovic, M., Gong, S. & Nussenzweig, M.C. Control of immunoglobulin gene rearrangements in developing B cells, review. *Current Opinions in Immun.* 9:233-244 (1997)
  44. Nussenzweig, M.C. Tails to teach a B cell. *Current Biology.* (1997)

Nussenzweig, Michel C.

45. Nussenzweig, M.C. & Allison, Jim. Lymphocyte activation and effector functions. How signals are integrated in the immune system (Editorial Overview) *Current Opinions in Immun.* 9:293-295 (1997)
46. Papavasiliou, F., Casellas, R., Suh, H., Qin, X., Besmer, E., Pelanda, R., Nemazee, D., Rajewsky, K., and Nussenzweig, M.C. V(D)J Recombination in Mature B cells: a Mechanism for Altering Antibody Responses. *Science* 278:298-301 (1997)
47. Honghai, O., Nussenzweig, A., Kurimasa, A., Soares, V., Li, X., Cordon-Cardo, C., Li, W., Cheong, N., Nussenzweig, M.C., Iliakis, G., Chen, D.J. & Li, G.C. Ku70 is required for DNA repair but not for T cell antigen receptor gene recombination in vivo. *J. Exp. Med.* 186:921-929 (1997)
48. Lee, S.Y., Reichlin, A., Santana, A., Sokol, K.A., Nussenzweig, M.C. & Choi, Y. TRAF2 is essential for JNK but not NF-KB activation and regulates lymphocyte proliferation and survival. *Immunity* 7:703-713 (1997)
49. Casellas, R., Nussenzweig, A., Wuerffel, R., Pelanda, R., Reichlin, A., Suh, H., Qin, X-F., Besmer, E., Kenter, A., Rajewsky, K. and Nussenzweig, M.C. Ku80 is required for immunoglobulin isotype switching. *EMBO Vol 17* 8:2404-2411 (1998)
50. Meffre, E., Papavasiliou, F., Cohen, P., de Bouteiller, O., Bell, D., Karasuyama, H., Schiff, C., Banchereau, J., Liu, Y-J., and Nussenzweig, M.C. Antigen receptor engagement turns off the V(D)J recombination machinery in human tonsil B cells. *J. Exp. Med.* 188:765-772 (1998)
51. Qin, X-F., Reichlin, A., Luo, Y., Roeder, R.G. and Nussenzweig, M.C. OCA-B integrates B cell antigen receptor-, CD40L-, and-IL-4-mediated signals for the germinal center pathway of B cell development. *EMBO* 17:5066-5075 (1998)
52. Besmer, E., Mansilla-Soto, J., Cassard, S., Sawchuk, D., Brown, G., Sadofsky, M., Lewis, S., Nussenzweig, M.C. and Cortes, P. Hairpin coding end opening by the recombination activating genes RAG1 and RAG2. *Molecular Cell* 2:817-828 (1998)
53. Qin, X-F., Schwers, S., Yu, W., Papavasiliou, F., Suh, H., Nussenzweig, A., Rajewsky, K., and Nussenzweig, M.C. Secondary V(D)J recombination in B-1 cells. *Nature* 397:355-359 (1999)
54. Nussenzweig, M.C. Immune Receptor Editing: Revise and Select. *Cell* 95:875-878 (1998)
55. Yu, W., Nagaoka, H., Jankovic, M., Misulovin, Z., Suh, H., Rolink, A., Melchers, F., Meffre, E., & Nussenzweig, M.C. Continued RAG expression in late stages of B cell development and no apparent re-induction after immunization. *Nature* 400:682-687 (1999)

Nussenzweig, Michel C.

56. Yu, W., Misulovin, Z., Suh, H., Hardy, R.R., Jankovic, M., Yannoutsos, N & Nussenzweig, M.C. Coordinate regulation of RAG1 and RAG2 by cell type-specific DNA elements 5' of RAG2. *Science* 285:1080-1084 (1999)
57. Tiefenthaler, M., Marksteiner, R., Neyer, S., Koch, F., Hofer, S., Schuler, G., Nussenzweig, M.C., Schneider, R., & Heufler, C. M1204, a Novel 2',5' Oligoadenylate Synthetase with a Ubiquitin-Like Extension, Is Induced During Maturation of Murine Dendritic Cells<sup>1,2</sup>. *Journal of Immun.* 163:760-765 (1999)
58. Santagata, S., Besmer, E., Villa, A., Bozzi, F., Allingham, J.S., Sobacchi, C., Haniford, D.B., Vezzoni, P., Nussenzweig, M.C., Pan, Z-Q., & Cortes, P. The RAG1/RAG2 complex a 3' flap endonuclease: implications for junctional diversity in V(D)J and transpositional recombination. *Molecular Cell* 4:935-947 (1999)
59. Yu, W., Nagaoka, H., Misulovin, Z., Meffre, E., Suh, H., Jankovic, M., Yannoutsos, N., Casellas, R., Besmer, E., Papavasiliou, F., Qin, X., & Nussenzweig, M.C. RAG Expression in B Cells in Secondary Lymphoid Tissues. *Cold Spring Harbor Symposia on Quantitative Biology* Vol. LXIV:207-210, (1999)
60. Nagaoka, H., Yu, W. & Nussenzweig, M.C. Regulation of RAG expression in developing lymphocytes. *Current Opinion in Immunology* 12:187-190 (2000)
61. Kronin, V., Wu, L., Gong, S., Nussenzweig, M.C., & Shortman, K. DEC-205 as a marker of dendritic cells with regulatory effects on CD8 T cell responses. *International Immunology* 12(5):731-735 (2000)
62. Liu, Y., Chirino, A.J., Misulovin, Z., Leteux, C., Feizi, T., Nussenzweig, M.C., & Bjorkman, P.J. Crystal structure of the cysteine-rich domain of mannose receptor complexed with a sulfated carbohydrate ligand. *J. Exp. Med.* 191(7):1105-1115 (2000)
63. Leteux, C., Chai, W., Loveless, R.W., Yuen, C-T., Uhlin-Hansen, L., Combarnous, Y., Jankovic, M., Maric, S.C., Misulovin, Z., Nussenzweig, M.C. & Feizi, T. The cysteine-rich domain of the macrophage mannose receptor is a multispecific lectin that recognizes chondroitin sulfates A and B and sulfated oligosaccharides of blood group Lewis<sup>a</sup> and Lewis<sup>x</sup> types in addition to the sulfated N-glycans of lutropin. *J. Exp. Med.* 191(7):1117-1126 (2000)
64. Difilippantonio, M.J., Zhu, J., Chen, H.T., Meffre, E., Nussenzweig, M.C., Max, E.E., Ried, T. & Nussenzweig, A. DNA repair protein Ku80 suppresses chromosomal aberrations and malignant transformation. *Nature* 404:510-514 (2000)
65. Nagaoka, H., Gonzalez-Aseguinolaza, G., Tsuji, M. & Nussenzweig, M.C.

Nussenzweig, Michel C.

- Immunization and infection change the number of recombination activating gene (RAG)-expressing B cells in the periphery by altering immature lymphocyte production. *J. Exp. Med.* 191(12):2113-2120 (2000)
66. Mahnke, K., Guo, M., Lee, S., Sepulveda, H., Swain, S.L., Nussenzweig, M.C. & Steinman, R.M. The dendritic cell receptor for endocytosis, DEC-205, can recycle and enhance antigen presentation via MHC II+, lysosomal compartments. *J. of Cell Biology* 151:673-683 (2000)
  67. Meffre, E., Davis, E., Schiff, C., Cunningham-Rundles, C., Ivashkiv, L.B. Staudt, L.M., Young, J.W. & Nussenzweig, M.C. Circulating human B cells that express surrogate light chains and edited receptors. *Nature Immunology* 1(3):207-213 (2000)
  68. Guo, M., Gong, S., Maric, S., Misulovin, Z., Pack, M., Mahnke, K., Nussenzweig, M.C. & Steinman, R. A monoclonal antibody to the DEC-205 endocytosis receptor on human dendritic cells. *Human Immunology* 61:729-738 (2000)
  69. Reichlin, A., Hu, Y., Meffre, E., Nagaoka, H., Gong, S., Kraus, M., Rajewsky, K., & Nussenzweig, M.C. B cell development is arrested at the immature B cell stage in mice carrying a mutation in the cytoplasmic domain of Ig $\beta$ . *J. Exp. Med.* 193(1):13-23 (2001)
  70. Kraus, M., Pao, L.I., Reichlin, A., Hu, Y., Canono, B., Cambier, J.C. Nussenzweig, M.C. & Rajewsky, K. Interference with Ig $\alpha$  ITAM phosphorylation modulates or blocks B cell development, depending on the availability of an Ig $\beta$  cytoplasmic tail. *J. Exp. Med.* 194(4):455-470 (2001)
  71. Meffre, E., Casellas, R., Nussenzweig, M.C. Antibody regulation of B cell development. *Nature Immunology* 1(5):379-385 (2000)
  72. Casellas, R., Yang Shih, T-A., Kleinewietfeld, M., Rakonjac, J., Nemazee, D., Rajewsky, K. & Nussenzweig, M.C. Contribution of receptor editing to the antibody repertoire. *Science* 291:1541-1544 (2001)
  73. Wurbel, M-A., Malissen, M., Guy-Grand, D., Meffre, E., Nussenzweig, M.C., Richelme, M., Carrier, A., and Malissen, B. Mice lacking the CCR9 -chemokine receptor show a mildly impeded of early T and B cells and a reduction in TCR<sup>+</sup> gut intraepithelial lymphocytes. *Blood* 98(9):2626-2632 (2001)
  74. Meffre, E., Chiorazzi, M. and Nussenzweig, M.C. Circulating human B cells that express surrogate light chains display a unique antibody repertoire. *J. Immunol.* 167(4):2151-2156 (2001)
  75. Meffre, E. Catalan, N., Seltz, F., Fischer, A., Nussenzweig, M.C.\* and Durandy, A. Somatic hypermutation shapes the antibody repertoire of memory B cells in humans. *J. Exp. Med.* 194(3):375-378 (2001)

Nussenzweig, Michel C.

**\*Equal contributing senior author**

76. Yannoutsos, N., Wilson, P., Yu, W., Chen, H.T., Nussenzweig, A., Petri H. and Nussenzweig, M.C. The role of recombination activating gene (RAG) reinduction in thymocyte development in vivo. *J. Exp. Med.* 194(4):471-480 (2001)
77. Meffre, E., Milili, M., Blanco-Betancourt, C., Antunes, H., Nussenzweig, M.C.\* and Schiff, C. Immunoglobulin heavy chain expression shapes the B cell receptor repertoire in human B cell development. *J. Clin. Invest.* 108(6):879-886 (2001)

**\*Equal contributing senior author**

78. Hawiger, D., Inaba, K., Dorsett, Y., Guo, M., Mahnke, K., Rivera, M., Ravetch, J.V., Steinman, R.M. and Nussenzweig, M.C. Dendritic cells induce peripheral T cell unresponsiveness under steady state conditions in vivo. *J. Exp. Med.* 194(6):769-779 (2001)
79. Petersen, S., Casellas, R., Reina San-Martin, B., Chen, H.T., Difilippantonio, M.J., Wilson, P.C., Hanitsch, L., Celeste, A., Muramatsu, M., Pilch, D.R., Redon, C., Ried, T., Bonner, W.M., Honjo, T., Nussenzweig, M.C., and Nussenzweig, A. AID is required to initiate Nbs1/γ-H2AX focus formation and mutations at sites of class switching. *Nature* 414:660-665, (2001)
80. Steinman, R.M. and Nussenzweig, M.C. Avoiding horror autotoxicus: the importance of dendritic cells in peripheral T cell tolerance. *Proc. Natl. Acad. Sci.* 99(1):351-358 (2002)
81. Pelanda, R., Braun, U., Hobeika, E., Nussenzweig, M.C. and Reth, M. Ig-α and Ig-β are not required for the development of B cell progenitor cells and the rearrangement of IgH chain genes. *J. of Immunology* 169(2):865-872 (2002)
82. Lee, S.J., Evers, S., Roeder, D., Parlow, A.F., Risteli, J., Risteli, L., Lee, Y.C., Feizi, T., Langen, H. and Nussenzweig, MC. Mannose receptor-mediated regulation of serum glycoprotein homeostasis. *Science* 295(5561):1898-901 (2002)
83. Shih, T.A., Roederer, M. and Nussenzweig, M.C. Role of antigen receptor affinity in T cell-independent antibody responses in vivo. *Nat Immunol* 3(4):399-406 (2002)
84. Celeste, A., Petersen, S., Romanienko, P.J., Fernandez-Capetillo, O., Chen, H.T., Sedelnikova, O.A., Reina-San-Martin, B., Coppola V., Meffre, E., Difilippantonio, M.J., Redon, C., Pilch, D.R., Olaru, A., Eckhaus, M., Camerini-Otero, R.D., Tessarollo, L., Livak, F., Manova, K., Bonner, W.M., Nussenzweig, M.C., Nussenzweig, A. Genomic Instability in Mice Lacking Histone H2AX. *Science* 296:922-927 (2002)

Nussenzweig, Michel C.

85. Shih, T. A., Meffre, E., Roederer, M. and Nussenzweig M.C. Role of BCR affinity in T cell dependent antibody responses *in vivo*. *Nat. Immunol.* 3(6):570-575 (2002)
86. Guy-Grand, D., Azogui, O., Celli, S., Darche, S., Nussenzweig, M.C., Kourilsky, P., and Vassalli, P. Extrathymic lymphopoiesis: ontogeny and contribution to gut intraepithelial lymphocytes in athymic and euthymic mice. *J. Exp. Med.* 197(3):333-341 (2003)
87. Lee, S.J., Gonzalez-Aseguinolaza, G. and Nussenzweig, M.C. Disseminated Candidiasis and Hepatic Malarial Infection in Mannose-Binding Lectin-A Deficient Mice. *Mol. & Cellular Biology* Vol. 22:8199-8203 (2002)
88. Casellas, R., Jankovic, M., Meyer, G., Gazumyan, A., Luo, Y., Roeder, R.G., and Nussenzweig, M.C. OcaB is Required for Normal Transcription and V(D)J Recombination of a Subset of Immunoglobulin  $\kappa$  Genes. *Cell* Vol. 110:575-585 (2002)
89. Bonifaz, L., Bonnyay, D., Mahnke, K., Rivera, M., Nussenzweig, M. C., and Steinman, R.M. Efficient Targeting of Protein Antigen to the Dendritic Cell Receptor DEC-205 in The Steady State Leads to Antigen Presentation on Major Histocompatibility Complex Class I Products and Peripheral CD8(+) T Cell Tolerance. *J Exp Med.* 196(12):1627-1638. (2002)
90. Meffre E, Nussenzweig, M.C. Deletion of immunoglobulin beta in developing B cells leads to cell death. *Proc Natl Acad Sci USA* 99(17):11334-11339 (2002)
91. Steinman, R.M., Hawiger, D., and Nussenzweig, M.C. Tolerogenic dendritic cells. *Annu. Rev. Immunol.* 21:685-711. (2003)
92. Lee S.J., Zheng, N-Y, Clavijo M, Nussenzweig M.C. Normal host defense during systemic candidiasis in mannose receptor-deficient mice. *Infect Immun.* 71(1):437-45. (2003)
93. Ramiro A.R., Stavropoulos P., Jankovic M, Nussenzweig M.C. Transcription enhances AID-mediated cytidine deamination by exposing single-stranded DNA on the nontemplate strand. *Nat Immunol.* 4(5):452-456 (2003)
94. Reina-San-Martin, B., Difilippantonio, S., Hanitsch, L., Masilamani, R., Nussenzweig, A. and Nussenzweig, M.C.  $\gamma$ -H2AX is required for recombination between immunoglobulin switch regions but not for intra-switch region recombination or somatic hypermutation. *J Exp Med.* 197(12):1767-1778 (2003)
95. Wardemann, H., Yurasov, S., Schaefer, A., Young, J.W., Meffre, E., and Nussenzweig, M.C. Predominant autoantibody production by early human B cell precursor. *Science* 301:1374-1377 (2003)

Nussenzweig, Michel C.

96. Meffre, E., Schaefer, A., Wardemann, H., Wilson, P., Davis, E. and Nussenzweig, M.C. Surrogate light chain expressing human peripheral B cells produce self-reactive antibodies. *Submitted.*
97. Swain, S.D., Lee, S.J., Nussenzweig, M.C. and Harmsen, A.G. Absence of the macrophage mannose receptor in mice does not increase susceptibility to *Pneumocystis carinii* infection in vivo. *Submitted.*
98. Jankovic, M. & Nussenzweig, M.C. OcaB regulates transitional B cell selection. *Int. Immunology* 15(9):1099-1104 (2003)
99. Barreto, V., Reina-San-Martin, B., Ramiro, A.R., McBride, K.M. and Nussenzweig, M.C. C-Terminal deletion of AID uncouples class switch recombination from somatic hypermutation and gene conversion. *Molecular Cell*. Vol. 12:501-508 (2003)